

FORK LIFT




John Deere 26 Fork Lift Mounted on John Deere 1010 Tractor
Manufactured (1952-)

NOTE: The 26 Fork Lift was originally described as the TP26 Fork Lift.


Part Name	Part Number	Quantity	Notes
UPPER CROSSBAR	A 1000	1	
HITCH CROSSBAR	A 1001	1	
FORK ARMS	A 1002	2	
LOWER CROSSBAR	A 1003	1	
...

FORK LIFT



Key	Part No.	Description	Key	Part No.	Description
1	11H 215 R	Pin, cotter, 1/4" x 1-1/2"	8	3H 1522 A	Bolt, cge., high-strength, 1/2" x 1-1/4" (used with 800 series hitch)
2	F 2682 R	Pin, hitch ball (for John Deere 2010, 3010, 4010, 530, 630, 730, 520, 620, and 720 tractors)	14H	809 A	Nut, 1/2"
3	F 2680 R	Ball, hitch (for John Deere 2010, 3010, 4010, 530, 630, 730, 520, 620, and 720 tractors)	12H	301 B	Washer, lock, 1/2"
4	3H 1492 A	Bolt, cge., high-strength, 1/2" x 2" (2 used)	9	ADS 5 FC	Crossbar, hitch
	14H 809 A	Nut, 1/2" (2 used)	10	F 2685 R	Bushing (sub. for DS87FC and Y1785C) (for John Deere 2010, 3010, 4010, 530, 630, 730, 520, 620, 720 tractors and tractors equipped with 800 series hitch) (2 used)
	12H 301 B	Washer, lock, 1/2" (2 used)	11	ADS 3 FC	Arm, fork (2 used)
5	ADS 2 FC	Crossbar, upper	12	24H 1220 A	Washer, plain, 15/16" x 2-1/4" x no. 8 (2 used)
6	19H 1909 A	Screw, cap, high-strength, 3/4" x 3-3/4" (used with 800 series hitch)	13	3H 1591 A	Bolt, cge., high-strength, 1/2" x 2-1/4" (2 used)
	14H 794 A	Nut, 3/4"	14H	809 A	Nut, 1/2" (2 used)
7A	ADS 8 FC	Sub. 8155C (used with 800 series hitch) (-1954)	12H	301 B	Washer, lock, 1/2" (2 used)
7B	8155 C	Bracket, mast (used with 800 series hitch) (1954-)	14	DS 79 C	Crossbar, lower

OPERATOR'S MANUAL



Key	Part No.	Description
1	OM-F33-852	Manual, operator's